



Title: DIGITAL DISPLAY APPARATUS FOR
VEHICLE AND METHOD OF DISPLAYING
INFORMATION

Inventor(s): Yasuhiro OKUBO et al.

Appl. No.: 10/743,541

REPLACEMENT SHEET

FIG.1




FIG.3




FIG.4




FIG.5




FIG.6




FIG.7




FIG.8




FIG.9

POSITIONS OF PIXELS IN X DIRECTION

(x,y) →

| | | | | | | |
|---|-------|-------|-------|-------|-------|-------|
| | 0 | 1 | 2 | 3 | 4 | ----- |
| 0 | (0,0) | (1,0) | (2,0) | (3,0) | (4,0) | ----- |
| 1 | (0,1) | (1,1) | (2,1) | (3,1) | (4,1) | ----- |
| 2 | (0,2) | (1,2) | (2,2) | (3,2) | (4,2) | ----- |

↓

POSITIONS OF PIXELS IN Y DIRECTION

FIG.10




FIG.11






FIG.12

1.LIGHT DISTRIBUTION DATA FOR GENERAL ROAD,
STRAIGHT ROAD, IN HIGH BEAM



2.LIGHT DISTRIBUTION DATA FOR GENERAL ROAD,
STRAIGHT ROAD, IN LOW BEAM



3.LIGHT DISTRIBUTION DATA FOR URBAN DISTRICT,
STRAIGHT ROAD, IN LOW BEAM



4.LIGHT DISTRIBUTION DATA FOR SUPERHIGHWAY,
STRAIGHT ROAD, IN LOW BEAM



5.LIGHT DISTRIBUTION DATA FOR SUPERHIGHWAY,
CURVED ROAD, IN LOW BEAM




FIG. 13




FIG.14




FIG.15




FIG.16




FIG.17




FIG.18




FIG.19




FIG.20




FIG.21




FIG.22




FIG.23




FIG.24




FIG.25A




FIG.25B




FIG.25C




FIG.26




FIG.27




FIG. 28

